



**THRIFCO
PLUMBING®**

Plumbing. Sprinklers. Drip Irrigation.



ADAPTER

BUSHING

COUPLING

PLUG ELBOWS

TEES

DOUBLE WYE

FLEXIBLE COUPLING

ABS FITTINGS PRODUCT CATALOG

2024

www.thrifco.com

This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook paper. There are no margins, text, or other markings on the page.

⚠ WARNING ⚠

916 387-6403

ABS FITTINGS

1/4 Bend Vent Elbow, 1/4 Bend Elbow, 1/4 Long Sweep Elbow, 1/8 Bend Elbow,	4
1/16 Bend Elbow, 1/16 Bend Street Elbow, Street Elbow (Long Turn),	4
1/8 Bend Street Elbow, 1/16 Bend Street Elbow, Closet Bend 90° Reducing	4

ABS FITTINGS

Vent Tee, Cleanout Tee (H x H x T), Street Tee (S x H x H), Sanitary Tee,	5
Double Fixture Sanitary Tee, 2-Way Cleanout, Double WYE, WYE, Combos	5

ABS FITTINGS

Flush Bushing, Male Adapter, Male Fitting Adapter, Spigot Trap Adapter,	6
Swivel Tray Adapter, Bushing, Female Adapter, Trap Adapter (Hub),	6
Clean Out Adapter, Coupling	6

ABS FITTINGS

Repair Couplings (Slip), Plug, P-Trap W/Union, P-Trap (L.A. Pattern)	7
With Slip-Joint Nut, Cap, Flush Plugs, P-Trap H x H (Solvent),	7
P-Trap (Swivel W/Cleanout)	7

ABS FITTINGS

Adjustable Ring Closet Flange, Adjustable Ring Closet Flanges	8
(Stainless Steel Flange), Solid Closet Flange	8

ABS DWV FITTINGS

Wing Nut Test Plug, Rubber Test Cap, J-Hook Pipe Hanger, Slip-On Test Cap,	9
Test Plug (White), Universal Pipe Hanger, Pneumatic Hydraulic Test Plug,	9
No Hub Coupling, Trap Rubber Connector, Brass Cleanout Plug,	9
Brass Countersunk Cleanout Plug	9

FLEXIBLE REPAIR FITTINGS

Flexible Coupling, Flexible Transition Coupling, Shielded No Hub Coupling (IPS),	10
Shielded No Hub Coupling (COP x Pipe), Shielded No Hub Coupling (COP x COP),	10
Flexible Coupling Reducer, Rubber Socket Flexible Coupling (Socket x Pipe),	10
Rubber Socket Flexible Coupling (Socket x Socket), Flexible Elbow, Flexible Tee	10

FLEXIBLE REPAIR FITTINGS

Hose Grip Coupling, No Hub Donut, Downspout Connection,	10
Flexible J-Bend, Flexible Bushing,	10

1/4 BEND VENT ELBOW



Model:	Size:
6792201	1-1/2"
6792202	2"
6792203	3"

1/4 BEND STREET ELBOW



Model:	Size:
6792451	1-1/2"
6792452	2"
6792453	3"
6792454	4"

1/4 BEND ELBOW



Model:	Size:
6792251	1-1/2"
6792252	2"
6792253	3"
6792254	4"

STREET ELBOW (LONG TURN)



Model:	Size:
6795276	1-1/2"
6795277	2"
6795278	3"
6795279	4"

1/4 LONG SWEEP ELBOW



Model:	Size:
6792276	1-1/2"
6792277	2"
6792278	3"
6792279	4"

1/8 BEND STREET ELBOW



Model:	Size:
6792401	1-1/2"
6792402	2"
6792403	3"
6792404	4"

1/8 BEND ELBOW



Model:	Size:
6792501	1-1/2"
6792502	2"
6792503	3"
6792504	4"

1/16 BEND STREET ELBOW



Model:	Size:
6792561	1-1/2"
6792562	2"
6792563	3"
6792564	4"

1/16 BEND ELBOW



Model:	Size:
6792601	1-1/2"
6792602	2"
6792603	3"
6792604	4"

1/4 BEND VENT ELBOW W/HEEL



Model:	Size:
6792245	3" x 3" x 2
6792249	4" x 4" x 2

1/16 BEND ELBOW



Model:	Size:
6792551	1-1/2"
6792552	2"
6792553	3"
6792554	4"

CLOSET BEND 90° REDUCING



Model:	Size:
6793103	3" x 4" with Cap
6793104	3" x 4" H x H

VENT TEE



Model:	Size:
6792101	1-1/2"
6792102	2"
6792103	3"

2-WAY CLEANOUT



Model:	Size:
6793723	3"
6793724	4"

CLEANOUT TEE (H x H x T)



THREADED

Model:	Size:
6792114	1-1/2"
6792115	2"
6792116	3"

DOUBLE WYE



Model:	Size:
6792170	1-1/2"
6792171	2"
6792172	3"

STREET TEE (S x H x H)



Model:	Size:
6792156	1-1/2"
6792157	2"
6792158	3"
6792159	4"

WYE



Model:	Size:
6792301	1-1/2"
6792302	2"
6792303	3"
6792304	4"
6792325	2" x 2" x 1-1/2"
6792326	3" x 3" x 2"
6792327	4" x 4" x 3"
6792328	4" x 4" x 2"
6792331	3" x 3" x 1-1/2"

SANITARY TEE



Model:	Size:
6792126	2" x 2" x 1-1/2"
6792127	2" x 1-1/2" x 2"
6792128	2" x 1-1/2" x 1-1/2"
6792130	3" x 3" x 2"
6792131	3" x 3" x 1-1/2"
6792134	4" x 4" x 2"
6792136	4" x 4" x 3"
6792151	1-1/2"
6792152	2"
6792153	3"
6792154	4"

COMBOS



Model:	Size:
6794301	1-1/2"
6794302	2"
6794303	3"
6794304	4"
6794320	2" x 2" x 1-1/2"
6794326	3" x 3" x 1-1/2"
6794327	3" x 3" x 2"
6794337	4" x 4" x 2"
6794338	4" x 4" x 3"

DOUBLE FIXTURE SANITARY TEE



Model:	Size:
6792181	3" x 3" x 2" x 2"
6792184	3"
6792186	2"
6792188	2" x 2" x 1-1/2" x 1-1/2"

FLUSH BUSHING



Model:	Size:
6792752	2" x 1-1/2"
6792754	3" x 2"
6792756	4" x 3"
6792758	4" x 2"
6792762	3" x 1-1/2"
6792750	1-1/2" x 1-1/4"

BUSHING



Model:	Size:
6792753	2" x 1-1/2" SPG x FIP

MALE ADAPTER



Model:	Size:
6792871	1-1/2"
6792872	2"
6792873	3"
6792874	4"

FEMALE ADAPTER



Model:	Size:
6792891	1-1/2"
6792892	2"
6792893	3"
6792894	4"

MALE FITTING ADAPTER



Model:	Size:
6792878	1-1/2"

TRAP ADAPTER (HUB)



Model:	Size:
6792851	1-1/2" Slip Joint x 1-1/2"
6792860	1-1/4" Slip Joint x 1-1/2"

SPIGOT TRAP ADAPTER



Model:	Size:
6792801	1-1/2" Slip Joint x 1-1/2" Spigot
6792803	1-1/2" Slip Joint x 1-1/4" Spigot

CLEAN OUT ADAPTER



Model:	Size:
6793701	1-1/2"
6793702	2"
6793703	3"
6793704	4"

SWIVEL TRAY ADAPTER



Model:	Size:
6793215	1-1/2" Slip Joint x Spigot



Model:	Size:
6793217	1-1/2" Slip Joint x Hub

COUPLING



Model:	Size:
6793001	1-1/2"
6793002	2"
6793003	3"
6793004	4"
6793022	2" x 1-1/2"
6793023	3" x 1-1/2"
6793024	3" x 2"
6793025	4" x 2"
6793026	4" x 3"

REPAIR COUPLINGS (SLIP)



Model:	Size:
6795001	1-1/2"
6795002	2"
6795003	3"
6795004	4"

CAP



Model:	Size:
6793081	1-1/2" Slip
6793082	2" Slip
6793083	3" Slip
6793084	4" Slip
6793091	1-1/2" Threaded

PLUG



Model:	Size:
6793052	2"
6793053	3"
6793054	4"
6793055	2-1/2"
6793056	3-1/2"

FLUSH PLUGS



Model:	Size:
6744325	1-1/2"
6744335	2"
6744336	3"
6744337	4"

P-TRAP W/UNION



Model:	Size:
6793210	1-1/4"
6793211	1-1/2"
6793212	2"

P-TRAP H X H (SOLVENT)



Model:	Size:
6793201	1-1/2"
6793202	2"
6793203	3"
6793204	4"

P-TRAP (L.A. PATTERN)
WITH SLIP-JOINT NUT

Model:	Size:
6793220	1-1/4"
6793221	1-1/2"
6793222	1-1/2" x 1-1/4"

P-TRAP (SWIVEL W/CLEANOUT)



Model:	Size:
6793231	1-1/2"

ADJUSTABLE RING CLOSET FLANGE



Model: Size:
6793611 4" x 4" (Hub)
6793612 4" x 4" (Spigot)

PLASTIC FLANGE



Model: Size:
6793614 4" x 3" (Spigot)
6793616 4" x 3" (Spigot)

PLASTIC FLANGE



Model: Size:
6793618 4" x 3"

METAL FLANGE

(OFFSET)

ADJUSTABLE RING CLOSET FLANGES (STAINLESS STEEL FLANGE)



Model: Size:
6783611 4" (Hub)
6793612 4" (Spigot)

STAINLESS STEEL FLANGE



Model: Size:
6783614 4" x 3" (Hub)
6793616 4" x 3" (Spigot)

STAINLESS STEEL FLANGE

SOLID CLOSET FLANGE



Model: Size:
6793603 4" x 4" (Hub)
6793633 4" x 3" (Hub)
6793634 4" x 3" (Spigot)

WING NUT TEST PLUG



RED RUBBER

Model:	Size:
6722738	1-1/2"
6722739	2"
6722740	3"
6722741	4"

SLIP-ON TEST CAP



ORANGE COLOR

Model:	Size:
6722720	1-1/2"
6722721	2"
6722722	3"
6722723	4"

RUBBER TEST CAP



RED RUBBER

Model:	Size:
6722730	1-1/2"
6722731	2"
6722732	3"
6722733	4"

TEST PLUGS (WHITE)



Model:	Size:
6793761	1-1/2"
6793762	2"
6793763	3"
6793764	4"

J-HOOK PIPE HANGER



Model:	Size:
6763235	1-1/2"
6763236	2"
6763237	3"
6763238	4"

UNIVERSAL PIPE HANGER



Model:	Size:
6763240	14"

PNEUMATIC HYDRAULIC TEST PLUG



Model:	Size:
6722750	1-1/4" x 2" PIPE



Model:	Size:
6722751	3" x 4" PIPE

NO HUB COUPLING



Model:	Size:
6722790	1-1/2"
6722791	2"
6722792	2" x 1-1/2"
6722793	3"
6722794	4"

TRAP RUBBER CONNECTOR




Model:	Size:
6722660	1-1/2" x 1-1/2"
6722661	2" x 1-1/2"

BRASS CLEANOUT PLUG



Model:	Size:
6744290	1-1/2"
6744291	2"
6744292	2-1/2"
6744293	3"
6744294	3-1/2"
6744295	4"

BRASS COUNTERSUNK CLEANOUT PLUG



Model:	Size:
6744298	2"
6744299	2-1/2"
6744300	3"
6744301	3-1/2"
6744302	4"



FLEXIBLE COUPLING



Model:	Size:
6722602	1-1/4" x 1-1/4"
6722603	1-1/2" x 1-1/2"
6722605	2" x 2"
6722608	3" x 3"
6722612	4" x 4"
6722653	6" x 6"

FLEXIBLE COUPLING REDUCER



Model:	Size:
6722600	1-1/2" x 1-1/4"
6722604	2" x 1-1/2"
6722606	3" x 1-1/2"
6722607	3" x 2"
6722610	4" x 4"
6722611	4" x 3"

FLEXIBLE TRANSITION COUPLING



Model:	Size:
6722613	4" Concrete to 4" C.I.
6722614	4" A/C - DI x 4" C.I. / Plastic
6722615	4" Clay x 4" C.I. / Plastic
6722616	4" Clay x Clay
6722617	4" Clay x 4" A/C - D.I.
6722618	6" Clay x 4" C.I. / Plastic

RUBBER SOCKET FLEXIBLE COUPLING (SOCKET X PIPE)



Model:	Size:
6722641	1-1/2" Socket x Pipe
6722642	2" Socket x Pipe
6722643	3" Socket x Pipe
6722644	4" Socket x Pipe

SHIELDED NO HUB COUPLING (IPS)



Model:	Size:
6722795	1-1/2" IPS
6722796	2" IPS
6722797	3" IPS
6722798	4" IPS
6722799	2" x 1-1/2" IPS

RUBBER SOCKET FLEXIBLE COUPLING (SOCKET X SOCKET)



Model:	Size:
6722646	1-1/2" Socket x Socket
6722647	2" Socket x Socket
6722648	3" Socket x Socket
6722649	4" Socket x Socket

SHIELDED NO HUB COUPLING (COP X PIPE)



Model:	Size:
6722801	1-1/2" x 1-1/2" COP x PIPE
6722802	2" x 2" COP x PIPE
6722803	2" x 1-1/2" COP x PIPE

FLEXIBLE ELBOW



Model:	Size:
6722625	1-1/2"
6722626	2"
6722627	3"

SHIELDED NO HUB COUPLING (COP X COP)



Model:	Size:
6722807	1-1/2" COP x COP
6722808	2" COP x COP
6722809	2" COP x 1-1/2" COP

FLEXIBLE TEE



Model:	Size:
6722620	1-1/2"
6722621	2"
6722622	3"



HOSE GRIP COUPLING



Model:
4908058

Size:
Washing Machine
Hose Grip Coupling

FLEXIBLE J-BEND



Model:
6722601

Size:
1-1/2" x 1-1/4"

NO HUB DONUT



Model:
6722632
6722633
6722634

Size:
2"
3"
4"

FLEXIBLE BUSHING



Model:
6722630
6722631

Size:
2" x 1-1/2"
3" x 2"

DOWNSPOUT CONNECTION



Model:
6722628
6722629

Size:
3" x 3"
4" x 3"



**THRIFCO
PLUMBING®**
Plumbing. Sprinklers. Drip Irrigation.

At Thrifty Supply Company, we combine cutting edge design and engineering with highest quality manufacturing standards and rigorous quality assurance to yield a product range that ticks all the right boxes in terms of quality, performance and durability.

Thrifty Supply company is committed to offering products that can go toe to toe with big name brands at a discount price. All Thrifco Plumbing products comply with rigorous quality assurance standards to maintain optimum quality so end consumers get a flawless product.



2-WAY CLEANOUT

FLUSH PLUGS

FLUSH BUSHING

SOLID CLOSET FLANGE

BRASS CLEANOUT PLUG

A Subsidiary of



American
General Tool Group



THRIFTY SUPPLY COMPANY

22 Blue Sky Court, Sacramento, California 95828. United States

Phone: (916) 387-6403 | Fax: (916) 387-6707

www.thrifco.com | thriftrysales@americangeneraltools.com