



**THRIFCO
PLUMBING®**
Plumbing. Sprinklers. Drip Irrigation.



PVC SCH40 FITTINGS

PVC SCH80 FITTINGS

DURA FLEX COUPLINGS

UNIONS

VALVES

PVC

PRODUCT CATALOG

2024

www.thrifco.com

This image shows a full page of blank, lined paper. It features approximately 28 horizontal blue or grey lines spaced evenly apart, typical of notebook paper. The lines extend across the entire width of the page, leaving small margins at the top and bottom. There are no vertical lines, text, or other markings on the page.

⚠ WARNING ⚠

For more information: www.p65warnings.ca.gov/lead

PVC SCH40 FITTINGS**ELBOWS**

90° Elbow (Slip) / (Slip x Threaded) / (Threaded x Threaded),	4
90° Street Elbow (Male Threaded x Slip) / (Male Threaded x Female Threaded),	4
90° Street Elbow (Spigot x Female Thread) / (Spigot x Slip),	4
90° Street Elbow Marlex (Threaded x Threaded)	4
45° Elbow (Slip), 45° Street Elbow (Slip),	5
Side Outlet Elbow (Slip x Slip x Threaded) / (Slip x Slip x Slip)	5

TEE

Tee (Slip) / (Threaded), WYE (Slip), Cross (Slip),	6
Adapter (Slip x Male Threaded) / (Slip x Female Threaded)	6
Reducer (Slip x Male Threaded) / (Slip x Female Threaded), Plugs (Slip) / (Threaded),	7
Bushing (Slip x Threaded) / (Slip) / (Threaded),	7 - 8
Cap (Slip) / (Threaded), Coupling (Slip) / (Threaded)	8
Union (Slip) / (Threaded), Tank Adapter, Riser Extensions (Threaded), Dura Flex Coupling	9

PVC SCH80 FITTINGS**ELBOWS**

45° Elbow (Slip x Slip) / (Threaded x Threaded),	10
90° Elbow (Slip x Slip) / (Threaded x Threaded),	10
TEE (Slip x Slip x Slip) / (Threaded x Threaded x Threaded)	10
COUPLING (Slip x Slip) / (Threaded x Threaded)	10
ADAPTERS (Slip x Female Threaded) / (Slip x Male Thread)	11
BUSHING (Slip x Threaded) / (Slip x Slip) / (Threaded x Threaded)	11
CAP (Slip) / (Threaded),	12
PLUGS (Slip)	12
UNION (Slip x Slip) / (Threaded x Threaded)	12
FLOOR FLANGE (Slip) / (Threaded)	12
PVC SCH80 NIPPLE	13

INTERLOCK PIPE REPAIR FITTINGS

Pipe-Fix® a Two Piece, Extendible, Repair Unit	14
The Original Snapper® Plastic Pipe Repair Kit	14

PVC REPAIR FITTINGS & CONNECTORS

Quick Repair Coupling, Compression Coupling, Compression Gasket, Compression Male Adapter,	15
Compression Tee, Cobra Flex Connectors	15

PVC VALVES

Ball Valve (Slip) / (Threaded), Economy Ball Valve (Slip) / (Threaded),	16
SCH80 Ball Valve (Slip) / (Threaded), Swing Check Valve (Slip) / (Threaded),	16
Spring Check Valve (Slip) / (Threaded)	16

VALVES

ABS Back Water Valve, Sewer Relief Valve	17
--	----

PVC CEMENT / GLUE

205 - PVC / uPVC Cement Regular Body / Clear, 222 - Wet Weld PVC / uPVC Cement	18
Medium Body / Blue, 206 - PVC / uPVC Cement Medium Body / Gray	18
227 - PVC / uPVC Cement Regular Body / Clear, 208 - Multi Purpose Cement	19
Medium Body / Amber, 212 - Purple Primer, 214 - Industrial Primer Pipe Cleaner	19

CHRISTY'S RED HOT GLUE

	20
--	----

ELBOWS

90° ELBOW (SLIP)



Model:	Size:
8114062	1/2" S x S
8114064	3/4" S x S
8114066	3/4" x 1/2" S x S
8114068	1" S x S
8114070	1" x 3/4" S x S
8114072	1" x 1/2" S x S
8114074	1-1/4" S x S
8114076	1-1/4" x 1" S x S
8114082	1-1/2" S x S
8114090	2" S x S
8114096	2-1/2" S x S
8114098	3" S x S
8114100	4" S x S
8114104	6" S x S

90° ELBOW (SLIP X THREADED)



Model:	Size:
8114120	1/2" S x T
8114122	1/2" x 3/4" S x T
8114124	3/4" S x T
8114126	3/4" x 1/2" S x T
8114128	1" S x T
8114130	1" x 3/4" S x T
8114132	1" x 1/2" S x T
8114134	1-1/4" S x T
8114140	1-1/2" S x FT
8114146	2" S x T

90° ELBOW
(THREADED X THREADED)

Model:	Size:
8114206	1/2" T x T
8114208	3/4" FT x FT
8114210	1" T x T
8114212	1-1/4" T x T
8114214	1-1/2" FT x FT
8114216	2" FT x FT

90° STREET ELBOW
(MALE THREADED X SLIP)

Model:	Size:
8114166	1/2" MT x FS
8114168	3/4" tMT x FS
8114170	1" MT x FS
8114172	1-1/4" MT x FS
8114174	1-1/2" MT x FS
8114176	2" MT x FS

90° STREET ELBOW (MALE
THREADED X FEMALE THREADED)

Model:	Size:
8114186	1/2" MT x FT
8114188	3/4" MT x FT
8114190	1" MT x FT
8114192	1-1/4" MT x FT
8114194	1-1/2" MT x FT
8114196	2" MT x FT

90° STREET ELBOW
(SPIGOT X FEMALE THREAD)

Model:	Size:
8114252	1/2" SPG x FT
8114254	3/4" SPG x FT
8114256	1" SPG x FT
8114258	1-1/4" SPG x FT
8114260	1-1/2" SPG x FT
8114262	2" SPG x FIP

90° STREET ELBOW
(SPIGOT X SLIP)

Model:	Size:
8114232	1/2" SPG x S
8114234	3/4" S x S
8114236	1" S x S
8114238	1-1/4" SPG x S
8114240	1-1/2" SPG x S
8114242	2" SPG x S

90° STREET ELBOW MARLEX
(THREADED X THREADED)

Model:	Size:
8114187	1/2" T x T
8114189	3/4" T x T
8114191	1" T x T

ELBOWS

SCH40

45° ELBOW (SLIP)



Model:	Size:
8114022	1/2" S x S
8114024	3/4" S x S
8114026	1" S x S
8114028	1-1/4" S x S
8114030	1-1/2" S x S
8114032	2" S x S
8114034	2-1/2" S x S
8114036	3" S x S
8114038	4" S x S
8114042	6" S x S

45° STREET ELBOW (SLIP)



Model:	Size:
8114052	1/2" S x S
8114053	3/4" S x S
8114054	1" S x S
8114055	1-1/4" S x S
8114056	1-1/2" S x S
8114057	2" S x S

SIDE OUTLET ELBOW
(SLIP X SLIP X SLIP)

Model:	Size:
8114267	3/4" S x S x S
8114268	1/2" S x S x S
8114269	1" S x S x S

SIDE OUTLET ELBOW
(SLIP X SLIP X THREADED)

Model:	Size:
8114270	1/2" S x S x T
8114272	3/4" S x 1/2" T
8114273	3/4" S x 3/4" T
8114274	1" S x 1/2" T

TEE

TEE (SLIP & THREADED)



Model:	Size:
8114522	1/2" S x S x S
8114528	3/4" S x S x S
8114532	3/4" S x 1/2" S
8114538	1" S x S x S
8114544	1" S x 3/4" S
8114546	1" S x 1/2" S
8114560	1-1/4" S x S x S
8114564	1-1/4" S x 3/4" S
8114566	1-1/4" S x 1" S
8114576	1-1/4" S x 1" S x 3/4" S
8114586	1-1/2" S x S x S
8114592	1-1/2" S x 1-1/4" S
8114594	1-1/2" S x 1" S
8114624	2" S x S x S
8114626	2" S x 1-1/2" S
8114628	2" x 2" x 1-1/4" S x S x S
8114630	2" S x 1" S
8114634	2" x 2" x 1/2" S x S x S
8114656	2-1/2" S x S x S
8114670	3" S x S x S
8114686	4" S x S x S
8114712	6" S x S x S



Model:	Size:
8114742	1/2" S x S x T
8114747	1/2" x 1/8" S x T
8114748	3/4" S x S x T
8114752	3/4" x 1/2" S x T
8114758	1" S x S x T
8114764	1" x 3/4" S x T
8114766	1" x 1/2" S x T
8114780	1-1/4" S x S x T
8114788	1-1/4" x 3/4" S x T
8114806	1-1/2" S x S x T
8114808	1-1/2" x 1-1/4" S x S x FT
8114840	2" S x S x T
8114938	1/2" FT x FT x FT
8114940	3/4" FT x FT x FT
8114942	1" FT x FT x FT
8114944	1-1/4" T x T x T
8114946	1-1/2" FT x FT x FT
8114948	2" T x T x T

WYE (SLIP)



Model:	Size:
8113942	1/2" S x S x S
8113943	3/4" S x S x S
8113944	1" S x S x S
8113945	1-1/4" S x S x S
8113946	1-1/2" S x S x S
8113947	2" S x S x S

CROSS (SLIP)



Model:	Size:
8113928	1/2"
8113930	3/4"
8113932	1"
8113934	1-1/4"
8113936	1 1/2"
8113938	2"

ADAPTER (SLIP X MALE THREAD)



Model:	Size:
8113166	1/2" MT x S
8113172	3/4" MT x S
8113178	1" MT x S
8113184	1-1/4" MT x S
8113190	1-1/2" MT x S
8113196	2" MT x S
8113202	2-1/2" MT x S
8113208	3" MT x S
8113212	4" MT x S
8113218	6" MT x S

ADAPTER (SLIP X FEMALE THREAD)



Model:	Size:
8113038	1/2" S x FT
8113046	3/4" S x FT
8113052	1" S x FT
8113062	1-1/4" S x FT
8113066	1-1/2" S x FT
8113070	2" S x FT
8113072	2-1/2" S x FT
8113074	3" S x FT
8113076	4" S x FT

REDUCER (SLIP X MALE THREAD)



Model:	Size:
8113168	1/2" MT x 3/4" S
8113171	1/2" MT x 1" S
8113174	3/4" MT x 1" S
8113176	3/4" MT x 1/2" S
8113182	1" MT x 3/4" S
8113192	1-1/2" MT x 2" S
8113194	1-1/2" MT x 1-1/4" S
8113198	2" MT x 1-1/2" S
8113210	3" MT x 4" S

REDUCER (SLIP X FEMALE THREAD)



Model:	Size:
8113040	1/2" S x 3/4" FT
8113048	3/4" S x 1" FT
8113050	3/4" S x 1/2" FT
8113058	1" S x 3/4" FT
8113060	1" S x 1/2" FT

SCH40

PLUGS (SLIP & THREADED)



Model:	Size:
8114286	1/2" S
8114288	3/4" S
8114290	1" S
8114292	1-1/4" S
8114294	1-1/2" S
8114296	2" S
8114298	2-1/2" S
8114300	3" S
8114302	4" S



Model:	Size:
8114314	1/2" T
8114316	3/4" T
8114318	1" T
8114320	1-1/4" T
8114322	1-1/2" T
8114324	2" T
8114326	2-1/2" T
8114328	3" T
8114330	4" T

BUSHING (SLIP X THREADED)



Model:	Size:
8113436	3/4" x 1/2" S x T
8113446	1" x 3/4" S x T
8113448	1" x 1/2" S x T
8113454	1-1/4" x 1" S x T
8113456	1-1/4" x 3/4" S x T
8113458	1-1/4" x 1/2" S x T
8113466	1-1/2" x 1-1/4" S x T
8113468	1-1/2" x 1" S x T
8113470	1-1/2" x 3/4" S x T
8113472	1-1/2" x 1/2" S x T
8113476	2" x 1-1/2" S x T
8113478	2" x 1-1/4" S x T
8113480	2" x 1" S x T
8113482	2" x 3/4" S x T
8113484	2" x 1/2" S x T

BUSHING (THREADED)



Model:	Size:
8113546	1/4" x 1/8" T x T
8113548	3/8" x 1/4" T x T
8113550	1/2" x 3/8" T x T
8113552	1/2" x 1/4" T x T
8113554	1/2" x 1/8" T x T
8113558	3/4" x 1/2" T x T
8113560	3/4" x 3/8" T x T
8113562	3/4" x 1/4" T x T
8113568	1" x 3/4" T x T
8113570	1" x 1/2" T x T
8113576	1-1/4" x 1" T x T
8113578	1-1/4" x 3/4" T x T
8113580	1-1/4" x 1/2" T x T
8113588	1-1/2" x 1-1/4" T x T
8113590	1-1/2" x 1" T x T
8113592	1-1/2" x 3/4" T x T
8113594	1-1/2" x 1/2" T x T
8113598	2" x 1-1/2" T x T
8113600	2" x 1-1/4" T x T
8113602	2" x 1" T x T

BUSHING (SLIP)



Model:	Size:
8113304	3/4" x 1/2" S x S
8113310	1" x 3/4" S x S
8113312	1" x 1/2" S x S
8113316	1-1/4" x 1" S x S
8113318	1-1/4" x 3/4" S x S
8113320	1-1/4" x 1/2" S x S
8113324	1-1/2" x 1-1/4" S x S
8113326	1-1/2" x 1" S x S
8113328	1-1/2" x 3/4" S x S
8113330	1-1/2" x 1/2" S x S
8113332	2" x 1-1/2" S x S
8113334	2" x 1-1/4" S x S

Model:	Size:
8113336	2" x 1" S x S
8113338	2" x 3/4" S x S
8113340	2" x 1/2" S x S
8113342	2-1/2" x 2" S x S
8113344	2-1/2" x 1-1/2" S x S
8113354	3" x 2-1/2" S x S
8113356	3" x 2" S x S
8113358	3" x 1-1/2" S x S
8113370	4" x 3" S x S
8113372	4" x 2-1/2" S x S
8113374	4" x 2" S x S
8113390	6" x 4" S x S

CAP (SLIP & THREADED)



Model:	Size:
8113678	1/2" S
8113680	3/4" S
8113682	1" S
8113684	1-1/4" S
8113686	1-1/2" S
8113688	2" S
8113690	2-1/2" S
8113692	3" S
8113694	4" S
8113698	6" S



8113716	1/2" T
8113718	3/4" T
8113720	1" T
8113722	1-1/4" T
8113724	1-1/2" T
8113726	2" T
8113728	2-1/2" T
8113730	3" T
8113732	4" T


COUPLING (SLIP & THREADED)



Model:	Size:
8113748	1/2" S x S
8113750	3/4" S x S
8113754	1" S x S
8113758	1-1/4" S x S
8113762	1-1/2" S x S
8113766	2" S x S
8113770	2-1/2" S x S
8113772	3" S x S
8113774	4" S x S
8113778	6" S x S



8113780	3/4" x 1/2" S x S
8113781	1" x 3/4" S x S
8113782	1-1/4" x 1" S x S
8113783	1-1/2" x 1-1/4" S x S
8113784	2" x 1-1/2" S x S



8113794	1/2" T x T (Gray)
8113796	3/4" T x T (Gray)
8113798	1" T x T (Gray)

UNION (SLIP & THREADED)



Model:	Size:
8114964	1/2" S x S
8114966	3/4" S x S
8114968	1" S x S
8114970	1-1/4" S x S
8114972	1-1/2" S x S
8114974	2" S x S
8114975	2-1/2" S x S
8114976	3" S x S
8114977	4" S x S



Model:	Size:
8114984	1/2" T x T
8114986	3/4" T x T
8114988	1" T x T
8114990	1-1/4" T x T
8114992	1-1/2" T x T
8114994	2" T x T
8114995	2-1/2" T x T
8114996	3" T x T
8114997	4" T x T

TANK ADAPTER



Model:	Size:
8117150	1/2" FIP
8117151	3/4" FIP
8117152	1" FIP
8117153	1-1/4" FIP
8117154	1-1/2" FIP
8117155	2" FIP
8117157	3" FIP

RISER EXTENSIONS (THREADED)



Model:	Size:
8114333	1/2" FIP x MIP
8114334	3/4" FIP x MIP

DURA FLEX COUPLING



Model:	Size:
8128502	FRC-005 1/2"
8128505	FRC-007 3/4"
8128507	FRC-010 1"

ELBOWS

45° ELBOW SLIP X SLIP



Part#	Size:
8214022	1/2" x 1/2"
8214024	3/4" x 3/4"
8214026	1" x 1"
8214028	1-1/4" x 1-1/4"
8214030	1-1/2" x 1-1/2"
8214032	2" x 2"

45° ELBOW THREADED X THREADED



Part#	Size:
8214034	1/2" x 1/2"
8214036	3/4" x 3/4"
8214038	1" x 1"
8214040	1-1/4" x 1-1/4"
8214042	1-1/2" x 1-1/2"
8214044	2" x 2"

90° ELBOW SLIP X SLIP



Part#	Size:
8214062	1/2" x 1/2"
8214064	3/4" x 3/4"
8214068	1" x 1"
8214074	1-1/4" x 1-1/4"
8214082	1-1/2" x 1-1/2"
8214090	2" x 2"

90° ELBOW THREADED X THREADED



Part#	Size:
8214206	1/2" x 1/2"
8214208	3/4" x 3/4"
8214210	1" x 1"
8214212	1-1/4" x 1-1/4"
8214214	1-1/2" x 1-1/2"
8214216	2" x 2"

TEE

SLIP X SLIP X SLIP



Part#	Size:
8214522	1/2" x 1/2" x 1/2"
8214528	3/4" x 3/4" x 3/4"
8214538	1" x 1" x 1"
8214560	1-1/4" x 1-1/4" x 1-1/4"
8214586	1-1/2" x 1-1/2" x 1-1/2"
8214624	2" x 2" x 2"

THREAD X THREAD X THREAD



Part#	Size:
8214938	1/2" x 1/2" x 1/2"
8214940	3/4" x 3/4" x 3/4"
8214942	1" x 1" x 1"
8214944	1-1/4" x 1-1/4" x 1-1/4"
8214946	1-1/2" x 1-1/2" x 1-1/2"
8214948	2" x 2" x 2"


COUPLING

SLIP X SLIP



Part#	Size:
8213748	1/2" x 1/2"
8213750	3/4" x 3/4"
8213754	1" x 1"
8213758	1-1/4" x 1-1/4"
8213762	1-1/2" x 1-1/2"
8213766	2" x 2"

THREAD X THREAD



Part#	Size:
8213767	1/2" x 1/2"
8213768	1" x 1"
8213769	3/4" x 3/4"
8213770	1-1/4" x 1-1/4"
8213772	1-1/2" x 1-1/2"
8213774	2" x 2"

ADAPTERS

SLIP X FEMALE THREAD



Part#	Size:
8213038	1/2" x 1/2"
8213046	3/4" x 3/4"
8213052	1" x 1"
8213062	1-1/4" x 1-1/4"
8213066	1-1/2" x 1-1/2"
8213070	2" x 2"

SLIP X MALE THREAD



Part#	Size:
8213166	1/2" x 1/2"
8213172	3/4" x 3/4"
8213178	1" x 1"
8213184	1-1/4" x 1-1/4"
8213190	1-1/2" x 1-1/2"
8213196	2" x 2"

BUSHING

SLIP X THREAD



Part#	Size:
8213436	3/4" x 1/2"
8213446	1" x 3/4"
8213448	1" x 1/2"
8213454	1-1/4" x 1"
8213456	1-1/4" x 3/4"
8213458	1-1/4" x 1/2"
8213466	1-1/2" x 1-1/4"
8213468	1-1/2" x 1"
8213470	1-1/2" x 3/4"
8213472	1-1/2" x 1/2"
8213476	2" x 1-1/2"
8213478	2" x 1-1/4"
8213480	2" x 1"
8213482	2" x 3/4"

SLIP X SLIP



Part#	Size:
8213304	3/4" x 1/2"
8213310	1" x 3/4"
8213312	1" x 1/2"
8213316	1-1/4" x 1"
8213318	1-1/4" x 3/4"
8213320	1-1/4" x 1/2"
8213324	1-1/2" x 1-1/4"
8213326	1-1/2" x 1"
8213328	1-1/2" x 3/4"
8213330	1-1/2" x 1/2"
8213332	2" x 1-1/2"
8213334	2" x 1-1/4"
8213336	2" x 1"
8213338	2" x 3/4"

THREAD X THREAD



Part#	Size:
8213558	3/4" x 1/2"
8213568	1" x 3/4"
8213570	1" x 1/2"
8213576	1-1/4" x 1"
8213578	1-1/4" x 3/4"
8213580	1-1/4" x 1/2"
8213588	1-1/2" x 1-1/4"
8213590	1-1/2" x 1"
8213592	1-1/2" x 3/4"
8213594	1-1/2" x 1/2"
8213598	2" x 1-1/2"
8213600	2" x 1-1/4"
8213602	2" x 1"
8213604	2" x 3/4"

CAP

SLIP



Part#	Size:
8213678	1/2"
8213680	3/4"
8213682	1"
8213684	1-1/4"
8213686	1-1/2"
8213688	2"

THREADED



Part#	Size:
8213716	1/2"
8213718	3/4"
8213720	1"
8213722	1-1/4"
8213724	1-1/2"
8213726	2"

PLUG - SLIP



Part#	Size:
8214314	1/2"
8214316	3/4"
8214318	1"
8214320	1-1/4"
8214322	1-1/2"
8214324	2"

UNION

SLIP X SLIP



Part#	Size:
8117096	1/2" x 1/2"
8117100	3/4" x 3/4"
8117102	1" x 1"
8117104	1-1/4" x 1-1/4"
8117106	1-1/2" x 1-1/2"
8117108	2" x 2"

THREAD X THREAD



Part#	Size:
8117120	1/2" x 1/2"
8117122	3/4" x 3/4"
8117124	1" x 1"
8117126	1-1/4" x 1-1/4"
8117128	1-1/2" x 1-1/2"
8117130	2" x 2"

FLOOR FLANGE

SLIP



Part#	Size:
8216400	1/2"
8216401	3/4"
8216402	1"
8216404	1-1/4"
8216406	1-1/2"
8216408	2"

THREAD



Part#	Size:
8216410	1/2"
8216412	3/4"
8216414	1"
8216416	1-1/4"
8216418	1-1/2"
8216420	2"



Model:	Size:
6620001	1/2" x Close
6620002	1/2" x 1-1/2"
6620003	1/2" x 2"
6620004	1/2" x 2-1/2"
6620005	1/2" x 3"
6620007	1/2" x 4"
6620009	1/2" x 5"
6620011	1/2" x 6"
6620012	1/2" x 7"
6620013	1/2" x 8"
6620015	1/2" x 10"
6620017	1/2" x 12"
6620018	1/2" x 18"
6620019	1/2" x 24"
6620020	1/2" x 36"
6620021	1/2" x 48"


Model:	Size:
6620025	3/4" x Close
6620026	3/4" x 1-1/2"
6620027	3/4" x 2"
6620029	3/4" x 3"
6620031	3/4" x 4"
6620033	3/4" x 5"
6620035	3/4" x 6"
6620037	3/4" x 8"
6620039	3/4" x 10"
6620041	3/4" x 12"
6620042	3/4" x 18"
6620043	3/4" x 24"
6620044	3/4" x 36"
6620045	3/4" x 48"

Model:	Size:
6620048	1" x Close
6620049	1" x 2"
6620051	1" x 3"
6620053	1" x 4"
6620055	1" x 5"
6620057	1" x 6"
6620059	1" x 8"
6620061	1" x 10"
6620063	1" x 12"

Model:	Size:
6620080	1-1/2" x Close
6620081	1-1/2" x 2"
6620083	1-1/2" x 3"
6620085	1-1/2" x 4"
6620087	1-1/2" x 5"
6620089	1-1/2" x 6"
6620091	1-1/2" x 8"
6620093	1-1/2" x 10"
6620095	1-1/2" x 12"

Model:	Size:
6620064	1-1/4" x Close
6620065	1-1/4" x 2"
6620067	1-1/4" x 3"
6620069	1-1/4" x 4"
6620071	1-1/4" x 5"
6620073	1-1/4" x 6"
6620075	1-1/4" x 8"
6620077	1-1/4" x 10"
6620079	1-1/4" x 12"

Model:	Size:
6620096	2" x Close
6620097	2" x 2-1/2"
6620098	2" x 3"
6620100	2" x 4"
6620102	2" x 5"
6620104	2" x 6"
6620106	2" x 8"
6620108	2" x 10"
6620110	2" x 12"



HOLES



CRACKS




BREAKS

COMPLETE
BREAKS & JOINTS

The Original SNAPPER Repairs the ALL NOT to be Confused with Interior IMITATIONS


PIPE-FIX® A TWO PIECE, EXTENDIBLE, REPAIR UNIT



TSC Part#	Interlock Part#	Description
6622020	1012	1/2" Pipe Fix
6622021	1034	3/4" Pipe Fix
6622022	1100	1" Pipe Fix
6622023	1114	1-1/4" Pipe Fix
6622024	1112	1-1/2" Pipe Fix
6622025	1200	2" Pipe Fix

THERE'S NOTHING EASIER! Repair or connect pipes without bending or moving. Cement it and it's fixed! Just cut the pipe to accept Pipe-Fix and cement generously as shown. Force the ends in opposite directions for a solid positive repair.


THE ORIGINAL SNAPPER® PLASTIC PIPE REPAIR KIT



TSC Part#	Interlock Part#	"SNAPPER" Repair Coupling
6622002	212	1/2" Coupling
6622003	234	3/4" Coupling
6622010	2100	1" Coupling
6622011	2114	1-1/4" Coupling
6622012	2112	1-1/2" Coupling
6622013	2200	2" Coupling


If you can reach the pipe, you can repair it easily. No digging of huge holes so pipes can be bent.

Use cement generously.



TSC Part#	Interlock Part#	"SNAPPER" ADD-ON Repair TEE
6622004	412	1/2" TEE x 1/2" Slip Riser
6622005	434	3/4" TEE x 3/4" Slip Riser
6622008	4100	1" TEE x 1" Slip Riser
6622006	512	1/2" TEE x 1/2" Threaded Riser
6622007	534	3/4" TEE x 3/4" Threaded Riser

This unit snaps around pipe and leaves a slip fitting to add lateral or vertical lines. Cut a "V" in pipe anywhere you want, and snap unit on. No need to disturb original installation. Also connects two pipe ends. Both sizes have 1/2" Threaded Riser for easy installation of sprinkler head. Use cement generously.



TSC Part#	Interlock Part#	"SNAPPER" Pipe to Fitting Repair
6622000	612	Coupling 1/2" Pipe to 1/2" Tee or 90°
6622001	634	3/4" Pipe to 3/4" Tee or 90°
6622014	6100	1" Pipe to 1" Tee or 90°

When a break in the pipe occurs at a Tee or 90°, this unit will cover both fitting and damaged pipe and restore a solid joint, without removing pipe or fitting. No need to purchase a new Tee or 90°. Use cement generously.

QUICK REPAIR COUPLING



Model:	Size:
6622030	1/2"
6622031	3/4"
6622032	1"
6622033	1-1/4"
6622034	1-1/2"
6622035	2"
6622026	2-1/2"
6622027	3"
6622028	4"

COMPRESSION COUPLING



Model:	Size:
6622170	1/2"
6622171	3/4"
6622172	1"
6622173	1-1/4"
6622174	1-1/2"
6622175	2"
6622176	2-1/2"
6622177	3"
6622178	4"
6622179	6"

COMPRESSION GASKET



Model:	Size:
6622160	1/2" (2/Pk)
6622161	3/4" (2/Pk)
6622162	1" (2/Pk)

Does Not Fit All Styles

COMPRESSION MALE ADAPTER



Model:	Size:
6622181	1/2"
6622182	3/4"
6622183	1"
6622184	1-1/4"
6622185	1-1/2"
6622186	2"

COMPRESSION TEE



Model:	Size:
6622187	1/2"
6622188	3/4"
6622189	3/4" x 1/2" FIP
6622190	1"
6622191	1-1/4"
6622192	1-1/2"
6622193	2"

COBRA FLEX CONNECTORS



Model:	Size:
6620304	1/2" Male x 1/2" Male x 6" Long
6620307	1/2" Male x 1/2" Male x 8" Long
6620310	1/2" Male x 1/2" Male x 12" Long
6620313	1/2" Male x 1/2" Male x 18" Long
6620314	1/2" Male x 1/2" Male x 24" Long
6620321	3/4" Male x 3/4" Male x 6" Long
6620322	3/4" Male x 3/4" Male x 8" Long
6620323	3/4" Male x 3/4" Male x 12" Long
6620324	3/4" Male x 3/4" Male x 18" Long

BALL VALVE (SLIP)

HEAVY-DUTY



Model	Size
6415210	1/2"
6415211	3/4"
6415212	1"
6415213	1-1/4"
6415214	1-1/2"
6415215	2"
6415216	2-1/2"
6415217	3"
6415218	4"

BALL VALVE (THREADED)

HEAVY-DUTY



Model	Size
6415220	1/2"
6415221	3/4"
6415222	1"
6415223	1-1/4"
6415224	1-1/2"
6415225	2"
6415228	2-1/2"
6415226	3"
6415227	4"

ECONOMY BALL VALVE (SLIP)



Model	Size
6415410	1/2"
6415411	3/4"
6415412	1"
6415413	1-1/4"
6415414	1-1/2"
6415415	2"

ECONOMY BALL VALVE (THREADED)



Model	Size
6415420	1/2"
6415421	3/4"
6415422	1"
6415423	1-1/4"
6415424	1-1/2"
6415425	2"

SCH80 BALL VALVE (SLIP)

HEAVY-DUTY



Model	Size
6416210	1/2"
6416211	3/4"
6416212	1"
6416213	1-1/4"
6416214	1-1/2"
6416215	2"

SCH80 BALL VALVE (THREADED)

HEAVY-DUTY



Model	Size
6416220	1/2"
6416221	3/4"
6416222	1"
6416223	1-1/4"
6416224	1-1/2"
6416225	2"

SWING CHECK VALVE (SLIP)



Model	Size
6415301	1/2" S X S
6415302	3/4" S X S
6415303	1" S X S
6415304	1-1/4" S X S
6415305	1-1/2" S X S
6415306	2" S X S

SWING CHECK VALVE (THREADED)



Model	Size
6415310	1/2" T X T
6415311	3/4" T X T
6415312	1" T X T
6415313	1-1/4" T X T
6415314	1-1/2" T X T
6415315	2" T X T

SPRING CHECK VALVE (SLIP)



Model	Size
6415195	1/2"
6415196	3/4"
6415197	1"
6415198	1-1/4"
6415199	1-1/2"
6415200	2"

SPRING CHECK VALVE (THREADED)



Model	Size
6415180	1/2"
6415181	3/4"
6415182	1"
6415183	1-1/4"
6415184	1-1/2"
6415185	2"

ABS BACK WATER VALVE



Model	Size
6415308	3"
6415309	4"

VALVE

SEWER RELIEF VALVE



Model:
6415208
PVC Sewer Relief
Valve & Clean out



6415209
ABS Sewer Relief
Valve & Clean out



6415230
3 x 4 Sewer Popper
Clean out Valve



205 - PVC / UPVC CEMENT REGULAR BODY / CLEAR



Model	Size
6622200	4 oz / 118 ml
6622201	8 oz / 237 ml
6622202	16 oz / 473 ml
6622203	32 oz / 946 ml



PW, DWV, SW



Hydrostatic Burst Strength:

Minimum 400 PSI after 2 hour cure @ 73 °F (23 °C)

Lap Shear Strength:

Minimum 250 PSI after 2 hour cure @ 73 °F (23 °C)

- Clear, Regular Body PVC / uPVC cement for use on pipe and fittings up to 4" (100 mm) for schedule 40.
- To be used for plumbing, electrical conduit, non-pressure pool and spa and PVC foam core pipe.
- Meets ASTM D2564

222 - WET WELD PVC / UPVC CEMENT MEDIUM BODY / BLUE



Model	Size
6622225	4 oz / 118 ml
6622226	8 oz / 237 ml
6622228	16 oz / 473 ml



PW, DWV, SW



Hydrostatic Burst Strength:

Minimum 400 PSI after 2 hour cure @ 73 °F (23 °C)

Lap Shear Strength:

Minimum 250 PSI after 2 hour cure @ 73 °F (23 °C)

- Blue, medium body, PVC / uPVC cement for use on pipe and fittings through 6" (150 mm) diameter for schedule 40 and 4" (100 mm) for schedule 80.
- A cement offered for wet conditions and/or quick pressurization.
- Suitable for plumbing, pressure/ non-pressure applications, irrigation, electrical conduit and DWV.
- Can be used without primer on non-pressure systems if local codes permit.
- Very fast set.
- Meets ASTM D2564

206 - PVC / UPVC CEMENT MEDIUM BODY / GRAY



Model	Size
6622220	4 oz / 118 ml
6622221	8 oz / 237 ml
6622222	16 oz / 473 ml
6622223	32 oz / 946 ml



PW, DWV, SW



Hydrostatic Burst Strength:

Minimum 400 PSI after 2 hour cure @ 73 °F (23 °C)

Lap Shear Strength:

Minimum 250 PSI after 2 hour cure @ 73 °F (23 °C)

- Industrial Grade Line of Products.
- Gray, medium body, PVC / uPVC cement for use on pipe and fittings up to 6" (150 mm) diameter for schedule 40 and 4" (100 mm) for schedule 80.
- Industrial strength formula for industrial, irrigation, DWV, electrical conduit, and PVC foam core pipe.
- Can be used without primer on non-pressure systems if local codes permit.
- Meets ASTM D2564



227 - PVC / UPVC CEMENT REGULAR BODY / CLEAR



Model
6624060
6624061

Size
4 oz / 118 ml
8 oz / 237 ml



PW, DWV, SW



Hydrostatic Burst Strength:

Minimum 400 PSI after 2 hour cure @ 73 °F (23 °C)

Lap Shear Strength:

Minimum 250 PSI after 2 hour cure @ 73 °F (23 °C)

- FLOWGUARD***
- One step medium body, CPVC cement to be used without primer if local codes permit.
- Fast set.
- For copper tube size (CTS) CPVC hot & cold potable water pipe & fittings up to 2" (55 mm) diameter.
- Approved by Lubrizol Corporation for use on FlowGuard Gold® systems.
- Recommended for residential & commercial hot and cold water systems up to 180 °F (82 °C).
- Meets ASTM D2846 and F493

208 - MULTI PURPOSE CEMENT MEDIUM BODY / AMBER



Model
6622204
6622205
6622206

Size
4 oz / 118 ml
8 oz / 237 ml
16 oz / 473 ml



PW, DWV, SW



Hydrostatic Burst Strength:

Minimum 400 PSI after 2 hour cure @ 73 °F (23 °C)

Lap Shear Strength:

Minimum 250 PSI after 2 hour cure @ 73 °F (23 °C)

- Amber, medium body, multi-purpose cement for use on PVC / uPVC and CPVC pipe and fittings up to 6" (150 mm) diameter for schedule 40 and 4" (100 mm) for schedule 80.

212 - PURPLE PRIMER



Model
6622213
6622214
6622215
6622216

Size
4 oz / 118 ml
8 oz / 237 ml
16 oz / 473 ml
32 oz / 946 ml



PW, DWV, SW



- Purple, fast acting primer for proper softening and preparation of all schedules and sizes of PVC and CPVC pipe and fitting surfaces.
- Meets ASTM F656

CAUTION: Do not use on ABS or thin walled PVC pipes & fittings.

214 - INDUSTRIAL PRIMER PIPE CLEANER



Model
6622210
6622211

Size
4 oz / 118 ml
8 oz / 237 ml



PW, DWV, SW



- Clear, fast acting cleaner effectively removes oil and grease from the surfaces of PVC / uPVC, ABS and STYRENE pipe and fittings
- Highly recommended for use before priming of pipe and fittings.

Christy's[®] RED HOT GLUE



Model Size
6622230 4 oz



Model Size
6622231 8 oz



Model Size
6622232 16 oz

Features:

- Contractor preferred, premium formulation
- Medium body, very fast set
- All classes and Schedules thru 6" diameter interference fit (Schedule 80 through 4")
- Can be used without primer if local codes permit for non-pressure systems up to 6" and pressure systems below 4"
- Blue in color

Specifications:

- Color: Blue
- Body: Medium Body
- Maximum Diameter: For PVC pipe sizes thru 6" all schedules and classes. Schedule 80 thru 4"
- Relative Set Time: Very Fast Set
- Industry Performance Specifications: ASTM D-2564
- Approvals: NSF/ANSI 14, NSF/ANSI 61

[illegible]

This image shows a full page of blank, lined paper. The paper is white and features evenly spaced, horizontal grey or light blue ruling lines that run across its entire width. There are no margins, text, or other markings on the page.

[illegible]



**THRIFCO
PLUMBING®**
Plumbing. Sprinklers. Drip Irrigation.

At Thrifty Supply Company, we combine cutting edge design and engineering with highest quality manufacturing standards and rigorous quality assurance to yield a product range that ticks all the right boxes in terms of quality, performance and durability.

Thrifty Supply company is committed to offering products that can go toe to toe with big name brands at a discount price. All Thrifco Plumbing products comply with rigorous quality assurance standards to maintain optimum quality so end consumers get a flawless product.



ELBOWS TEES WYES CROSS ADAPTERS REDUCERS PLUGS BUSHINGS CAPS COUPLINGS FLOOR FLANGES

A Subsidiary of



THRIFTY SUPPLY COMPANY

22 Blue Sky Court, Sacramento, California 95828. United States

Phone: (916) 387-6403 | Fax: (916) 387-6707

www.thrifco.com | thriftrysales@americangeneraltools.com